AGROBOR 11 L



PREVENTS AND TREATS BORON DEFICIENCY ALLOWED IN ORGANIC FARMING

AGROBOR 11 L is an ethanolamine boron-based formulation. This product favors a rapid and complete absorption of the element and its rapid migration inside the plant's tissues. AGROBOR 11 L has both a preventative and a curative activity on physiological disorders associated to a deficiency of boron, such as grape millerandage, apple suberose, beets empty heart, sunflower capitulum deformation, tobacco stunt growth and lower fruit set.

| CROP | TIME OF APPLICATION | DOSE/HECTARE* |
|--|--|---------------|
| Grapes | Against grapes millerandage, flowers fading and to increase sugar content. 3 applications: 2 at pre-flowering, 1 or more at post-flowering | 1-2 Kg |
| Kiwifruit, Stone fruits (Apricot, Cherry, Nectarine, Peach, Plum), Citrus (Orange, Bergamot, Clementine, Lemon, Tangerine), Pome fruits (Quince, Apple, Pear) e Olive | At pre- and post-flowering or at the appearance of the first deficiency symptoms: 2-3 applications every 8-10 days | 1-2 Kg |
| Fruiting vegetables (Watermelon, Cucumber, Eggplant, Melon, Pepper, Tomato, Zucchini, Pumpkin) | At early vegetative phases, at pre- and post-flowering or at the appearance of the first deficiency symptoms: 2-3 applications every 8-10 days | 1-2 Kg |
| Cereal crops (Oats, Wheat, Corn, Barley, Rice, Rye, Sorghum, Triticale) | At pre-flowering or at the appearance of the first deficiency symptoms: 2 applications every 8-10 days | 1-2 Kg |
| Beets | Against "hollow heart", starting from 4 true leaves or at the appearance of the first deficiency symptoms: 2-3 applications every 8-10 days | 1-2 Kg |
| Industrial crops (Sugarcane, Rapeseed, Cotton, Sunflower, Industrial tomato, Soybeans, Tobacco) | At pre- and post-flowering or at the appearance of the first deficiency symptoms: 2-3 applications every 8-10 days | 1-2 Kg |
| Flowers and ornamentals | At early vegetative phases, at pre- and post-flowering or at the appearance of the first deficiency symptoms: 2-3 applications every 8-10 days | 1-2 Kg |

| COMPOSITION | |
|----------------------------|--------|
| Boron (B) soluble in water | 11.00% |

| PHYSICO-CHEMICAL FEATURES | | | |
|---------------------------------|----------------------|--|--|
| LIQUID | | | |
| pH (sol 1%) | 9.25 | | |
| Conductivity E.C. S/cm (1‰) | 275 | | |
| Density (g/cm³)/Specific weight | 1.38 | | |
| METHOD OF USE | ₽ | | |
| | Foliar fertilization | | |

PACKAGING: 1 - 6 - 12 KG